



ELSEVIER

Discrete Applied Mathematics 122 (2002) 293–294

DISCRETE
APPLIED
MATHEMATICS

Author Index

Volume 122 (2002)

- | | |
|---|---------------|
| Ando, K., K-submodular functions and convexity of their Lovász extension | (1–3) 1– 12 |
| Arkin, E.M., R. Hassin and S. Shahar, Increasing digraph arc-connectivity by arc addition, reversal and complement | (1–3) 13– 22 |
| Asano, T., see S.C. Nandy | (1–3) 183–194 |
| Bandelt, H.-J., K.T. Huber and V. Moulton, Quasi-median graphs from sets of partitions | (1–3) 23– 35 |
| Bard, J.F., see X. Qi | (1–3) 211–233 |
| Barequet, G., M.T. Dickerson and R.L.S. Drysdale, 2-Point site Voronoi diagrams | (1–3) 37– 54 |
| Bertrand, P. and M.F. Janowitz, Pyramids and weak hierarchies in the ordinal model for clustering | (1–3) 55– 81 |
| Chang, G.J., see M. Chen | (1–3) 83– 92 |
| Chen, M. and G.J. Chang, Total interval numbers of complete r -partite graphs | (1–3) 83– 92 |
| Cimikowski, R., Algorithms for the fixed linear crossing number problem | (1–3) 93–115 |
| Colbourn, C.J., Projective planes and congestion-free networks | (1–3) 117–126 |
| Dickerson, M.T., see G. Barequet | (1–3) 37– 54 |
| Drysdale, R.L.S., see G. Barequet | (1–3) 37– 54 |
| Fischermann, M., A. Hoffmann, D. Rautenbach, L. Székely and L. Volkmann, Wiener index versus maximum degree in trees | (1–3) 127–137 |
| Fisher, D.C., Fractional dominations and fractional total dominations of graph complements | (1–3) 283–291 |
| Harayama, T., see S.C. Nandy | (1–3) 183–194 |
| Hassin, R., see E.M. Arkin | (1–3) 13– 22 |
| Hoffmann, A., see M. Fischermann | (1–3) 127–137 |
| Huber, K.T., see H.-J. Bandelt | (1–3) 23– 35 |
| Janowitz, M.F., see P. Bertrand | (1–3) 55– 81 |
| Lam, P.C.B., see W.C. Shiu | (1–3) 251–261 |
| Locatelli, M. and U. Raber, Packing equal circles in a square: a deterministic global optimization approach | (1–3) 139–166 |
| Manlove, D.F., The structure of stable marriage with indifference | (1–3) 167–181 |
| Misheva, N., see H. Narushima | (1–3) 195–209 |
| Moulton, V., see H.-J. Bandelt | (1–3) 23– 35 |
| Nandy, S.C., T. Asano and T. Harayama, Shattering a set of objects in 2D | (1–3) 183–194 |
| Narushima, H. and N. Misheva, On characteristics of ancestral character-state reconstructions under the accelerated transformation optimization | (1–3) 195–209 |
| Poon, K.K., see W.C. Shiu | (1–3) 251–261 |
| Qi, X., G. Yu and J.F. Bard, Single machine scheduling with assignable due dates | (1–3) 211–233 |
| Raber, U., see M. Locatelli | (1–3) 139–166 |
| Rautenbach, D., see M. Fischermann | (1–3) 127–137 |
| Ricci, G., Some analytic features of algebraic data | (1–3) 235–249 |
| Shahar, S., see E.M. Arkin | (1–3) 13– 22 |
| Shiu, W.C., P.C.B. Lam and K.K. Poon, On Wiener numbers of polygonal nets | (1–3) 251–261 |
| Sieling, D., The complexity of minimizing and learning OBDDs and FBDDs | (1–3) 263–282 |

- Székely, L., see M. Fischermann (1–3) 127–137
Volkmann, L., see M. Fischermann (1–3) 127–137
Yu, G., see X. Qi (1–3) 211–233

